



Slagleklipper
Varenr.: 9040023




Pos	Pl.nr.	Nr.	Name & Specifications	Qty.
1		GB5783-86	Blot M12x30	19
2		GB93-87	Spring washer 12	9
3		GB97.1-85	Plain washer 12	37
4		MFP120.00.106	Fixing sleeve	1
5		GB894.1-85	Circlip 35	1
6		GB893.1-86	Circlip 62	2
7		GB278-89	Bearing 6007Z	2
8	9041052	MFP120.00.152	Driving Belt wheel	1
9	9041053	MFP120.00.017	Clutch	1
10	9041054	GB1096-79	Key 6.3x7x50	1
11		MFP120.00.018	Protecting for transmission	1
12		GB6184-86	Locking nut M12	42
13		GB5783-86	Blot M12x35	4
14	9016503	GB5783-86	Blot M8x20	8
15		GB93-87	Spring washer 8	8
16		MFP120.00.155	Supporting plate (R)	1
17	9041055	EF100.00.012	Bearing UC205	2
18		RK120.017	Roller weldment	1
19	9041056	JF390	Gasoline engine	1
20		MFP120.00.156	Supporting plate (L)	1
21		MFP120.00.012	Deck weldment	1
22		GB91-86	Split pin 4x28	1
23	9041057	MFP120.00.026	Adjusting plate (R)	1
24	9041058	MFP120.00.025	Adjusting plate (L)	1
25		RK120.020	Blade axle	1
26	9041059	EF100.00.101	Sleeve	6
27	9041060	RK120.114a	Blade	28
28	9041061	GB5782-86	Blot M12x80	28
29	9041062	EF100.00.122	Baffle	12
30	9041063	EF100.00.121	Baffle	1
31	9041064	MFP120.00.109	Shaft	1
32	9041938	MFP120.00.024	Protecting bracket	2
33	9041065	MFP120.00.116	Tension spring	1
34	9041066	UC207-Z	Bearing seat 90207	2
35	9041067	GB13871-94	Oil seal FB55x80x8	2
36	9041068	RK120.109	Oil-sealing sleeve	2
37		GB1152-89	Oil cup M8x1	1
38		MFP120.00.036	Bracket for tension spring	1
39		GB97.1-85	Plain washer 10	1
40		GB6184-86	Locking nut M10	1

[illegible]



Pos	Pl.nr.	Nr.	Name & Specifications	Qty.
1		GB1152-89	Oil cup M6	1
2		GB6170-86	Mut N12	2
3		GB97.1-85	Plain washer 12	4
4	9041078	MFP120.00.038-A	Protection casing weldment	1
5		GB5783-86	Bolt M12x35	1
6	9041076	MFP120.00.039	Handle	1
7	9041077	GB276-94	Bearing 61904	1
8		TR200.00.123	Bearing seat	1
9	9041079	GB301-95	Bearing 51104	1
10		GB70-85	Screw M8x30	1
11	9041080	TR200.00.120	Adjusting screw	1
12		MFP120.00.176	Sheath for handle	1
13		MFP120.00.148	Cover for tyre	2
14	9041087	GBT278-94	Bearing 80205	4
15	9041081	MFP120.00.016	Tyre	2
16		MFP120.00.101	Rubber cover	4
17	9041082	MFP120.00.027	Supporting bracket for tyre	2
18		GB889-86	Nut M10	4
19		GB97.1-85	Plain washer 10	4
20		GB5782-86	Blot M10x65	4
21	9041937	MFP120.00.115	Tension spring	2
22		GB5782-86	Bolt M12x70	1
23	9041083	MFP120.00.037-A	Adjusting coil	1
24		ATV120.028	Crossbeam weldment	1

Traction Assembly



Pos	Pl.nr.	Nr.	Name & Specifications	Qty.
	9041086			
1		ATV120.013	Soleplate weldment	1
2		GB5782-86	Blot M16x80	1
3		GB97.1-85	Plain washer 16	3
4		GB184-86	Locking nut M16	1
5		GB5782-86	Blot M20x90	1
6		GB97.1-85	Plain washer 20	5
7		GB93-87	Spring washer 20	1
8		GB6170-86	Nut M20	2
9		ATV120.00.015	Bracket for traction	1
10		GB5782-86	Blot M12x80	2
11		GB97.1-85	Plain washer 12	4
12		GM8835	Hook for traction	1
13		GB6184-86	Locking nut M12	2
14	9041084	7CB-0.25-131	Axle sleeve	2
15		7CB-0.25-129	Shaft tube for traction	1
16		GB6184-86	Locking nut M20	2
17		GB5783-86	Blot M20X65	2
18	9041085	MFP120.00.014-1	Lifting handle	1
19		MFP120.00.014-2	Lifting coil	1
20		MFP120.00.102	Pin shaft	1
21		GB91-86	Split pin 5x32	2