

# YoghurLac<sup>®</sup> til smågrise - vejledning

*Svagfødte grise skal hvis muligt først tilbydes råmælk fra soen!*

**YoghurLac<sup>®</sup> pulver mixes i ren lunken vand!**

**Dosering** – Dag 0-2: 100 g pr. L vand; fra Dag 3: 125 g pr. L vand.

## Dag 0 (Nyfødte grise)

**Spædgrise med fødselsvægt under 700 g:**

- Tildel 2-4 ml YoghurLac<sup>®</sup> opløsning med doseringspistol bagerst i munden, gentag 1-2 gange →
- Placer svage grise i opvarmet grisehule i op til 2 timer
- Tjek grise for hver 20-30 min og tildel yderligere 10-15 ml YoghurLac<sup>®</sup>
- Processen gentages indtil grise selv kan die ved soen eller spise YoghurLac<sup>®</sup> opløsning fra Pig-LET Starter automat



**Øvrige Spædgrise fodres i grisehulen**

- Grise tilbydes YoghurLac<sup>®</sup> opløsning fra Pig-LET Starter automat. →

Pig-LET Starter automat med YoghurLac<sup>®</sup> skal være ca. 1/3 fyldt første eftermiddag, så de er suppleret til næste morgen.



## Dag 1-2

- Pig-LET Starter automat vaskes ren inden ny tildeling af YoghurLac<sup>®</sup>
- YoghurLac<sup>®</sup> tildeles ad libitum i Pig-LET Starter automat – Øg tildeling dag for dag op til én flaske på dag 2

## Fra dag 3

- YoghurLac<sup>®</sup> tildeles ad libitum i foderskål →



# YoghurLac<sup>®</sup> for piglets – How to use

***Weak born piglets must be offered colostrum from the sow, if possible!***

**Mix YoghurLac<sup>®</sup> powder in clean lukewarm water**  
**Dosing – Day 0-2: 100 g pr. L water; from Day 3: 125 g pr. L water.**

## Day 0 (Newborn piglets)

**Newborn piglets with birthweight under 700 g:**

- Assign 2-4 ml YoghurLac<sup>®</sup> solution into the back of the mouth using the dosing gun, repeat 1-2 times
- Place weak piglets in the covered creep area for up to 2 hours
- Check piglets every 20-30 min and administer 10-15 ml YoghurLac<sup>®</sup>
- Repeat process until piglets suck milk at the udder or eat YoghurLac<sup>®</sup> solution from the Pig-LET Starter feeder



**Remaining piglets fed in the creep area**

- Piglets are offered YoghurLac<sup>®</sup> solution from the Pig-LET Starter feeder.

Pig-LET Starter feeder with YoghurLac<sup>®</sup> should be app. 1/3 full the first afternoon to feed piglets until the next morning.



## Day 1-2

- Pig-LET Starter feeder is cleaned before new supply of YoghurLac<sup>®</sup>
- YoghurLac<sup>®</sup> should be fed ad libitum in Pig-LET Starter feeder– increase amount day by day up to one bottle on day 2

## From day 3

- YoghurLac<sup>®</sup> is supplied ad libitum in feed bowls

